Nuclear Engineering and Design 108 (1988) 533–535
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 108

Abe, Y., see Iguchi 108 (1988) 241
Adachi, H., see Iguchi 108 (1988) 241
Akimoto, H., see Iguchi 108 (1988) 233
Akimoto, H., see Iguchi 108 (1988) 241
Ang, M.L., A. Aytekin and A.H. Fox, Analysis of flow distribution in a PWR fuel rod bundle model containing a blockage – Part 1. A 61% coplanar blockage 108 (1988) 275
Ang, M.L., A. Aytekin and A.H. Fox, Analysis of flow distribution in a PWR fuel rod bundle model containing a blockage – Part 2. A non-coplanar blockage 108 (1988) 295
Arendts, J.G., see Steele, Jr. 108 (1988) 15
Asham, A., see Bittermann 108 (1988) 403
Aytekin, A., see Ang 108 (1988) 275
Aytekin, A., see Ang 108 (1988) 295

Batheja, P., see Bittermann 108 (1988) 403
Baumann, W., see Wolf 108 (1988) 137
Betten, P.R., see Feldman 108 (1988) 331
Bhandari, S., see Grüter 108 (1988) 447
Bhatia, V.K., see Rathore 108 (1988) 375
Bitterman, D., P. Rau, A. Ashman, P. Batheja, W. Pester and F. Wehle, Design aspects and pertaining development work for the KWU 200 MW^{th} nuclear heating reactor 108 (1988) 403
Black, P.S., D.C. Leslie and G.F. Hewitt, Tests of the TRAC code against known analytical solutions for stratified flow 108 (1988) 121
Blackman, H.S., see Hanson 108 (1988) 71
Boyack, B.E., M.W. Cappiello, H. Stumpf, P. Shire, J. Gilbert and J. Hedstrom, Analysis results from the Los Alamos 2D/3D program 108 (1988) 265
Brittain, I., see Wolfert 108 (1988) 107
Broughton, J.M., see Tolman 108 (1988) 45
Burson, S.B., see Greene 108 (1988) 167
Bussac, J., The need for further nuclear safety research: a present French view 108 (1988) 1

Cappiello, M.W., see Boyack 108 (1988) 265
Caruso, M.A., see Holahan 108 (1988) 187
Chang, L.K., see Feldman 108 (1988) 331
Cho, D.H. and G.A. Lambert, Effect of boiling on particle drag 108 (1988) 523
Close, J.A., see Steele, Jr. 108 (1988) 7
Cook, K.V. and R.W. McClung, Flaw density examinations of a clad boiling water reactor pressure vessel segment 108 (1988) 211

Dahl, W., see Hubo 108 (1988) 457
Dambietz, W., see Gross 108 (1988) 433
DiSalvo, R., see Hanson 108 (1988) 71

Elias, E., see Ketter 108 (1988) 385
Erve, M., F. Papouschek, K. Fischer and Ch. Maidorn, State of the art in the manufacture of heavy forgings for reactor components in the Federal Republic of Germany 108 (1988) 485

Faidy, C., see Grüter 108 (1988) 447
Feldman, E.E., D. Mohr, N.C. Messick, G.C. Wolz, L.K. Chang, P.R. Betten and H.P. Planchon, Predicted and measured response of the EBR-II plant to large steam pressure changes 108 (1988) 331
Finfrock, F., see Greene 108 (1988) 167
Fischer, G., F. Sontheimer, I. Ruyter and J. Markgraf, Experiments on the load following behaviour on PWR fuel rods 108 (1988) 429
Fischer, K., see Wolf 108 (1988) 137
Fischer, K., see Erve 108 (1988) 485
Fortmann, M., see Grüter 108 (1988) 447
Foskolos, K., A. Galperin and P. Grimm, Solutions of the neutronic design problems of small heating reactor cores based on the BWR principle 108 (1988) 419
Fox, A.H., see Ang 108 (1988) 275
Fox, A.H., see Ang 108 (1988) 295
Fucho, H.-P., see Gross 108 (1988) 433

Galperin, A., see Foskolos 108 (1988) 419
Gilbert, J., see Boyack 108 (1988) 265
Greene, G.A., C. Finfrock and S.B. Burson, Phenomenological studies on molten core–concrete interactions 108 (1988) 167
Griffith, P., see Paik 108 (1988) 83
Grimm, P., see Foskolos 108 (1988) 419
Grüter, L., M. Fortmann, S. Bhandari and C. Faidy, Crack resistance properties of

through-cracks in austenitic straight pipes (DN 700) under bending 108 (1988) 447
Gross, H., H.-P. Fuchs, H.-J. Lippert and W. Dambietz, The BWR Hybrid 4 control rod 108 (1988) 433

Häfner, W., see Wolf 108 (1988) 137
Hanson, D.J., H.S. Blackman, W.R. Nelson, R.E. Wright, M.T. Leonard and R. DiSalvo, Analysis of containment venting at the Peach Bottom Atomic Power Station 108 (1988) 71
Harrington, R.M., Containment venting as a mitigation technique for BWR Mark I plant ATWS 108 (1988) 55
Harris, D.R., see Taleyarkhan 108 (1988) 369
Hawthorne, J.R. and A.L. Hiser, Fluence-rate effects on irradiation embrittlement and composition and temperature effects on annealing/reirradiation sensitivity 108 (1988) 221
Hedstrom, J., see Boyack 108 (1988) 265
Henkel, F.-O., see Hilpert 108 (1988) 437
Hertlein, R.J., see Weiss 108 (1988) 249
Hesse, W., see Hubo 108 (1988) 457
Hewitt, G.F., see Black 108 (1988) 121
Hill, R.C., see Steele, Jr. 108 (1988) 7
Hilpert, H-J. and F.-O. Henkel, Dynamic analysis and response spectra for the main process building of a reprocessing plant 108 (1988) 437
Hiser, A.L., see Hawthorne 108 (1988) 221
Hojo, T., see Iguchi 108 (1988) 233
Hojo, T., see Iguchi 108 (1988) 241
Holahan, G.M. and M.A. Caruso, Overview of recent operating experience regarding plant aging 108 (1988) 187
Hsu, Y.Y., see Lin 108 (1988) 395
Hubo, R., R. Twickler, W. Hesse and W. Dahl, Failure behaviour of steels with different levels of strength and toughness 108 (1988) 457
Hülsen, H., see Lauer 108 (1988) 477

Iguchi, T., Y. Murao, J. Sugimoto, H. Akimoto, T. Okuba and T. Hojo, Summary of CCTF test results – Assessment of current safety evaluation analysis on reflood behaviour during a LOCA in a PWR with cold-leg-injection-type ECCS 108 (1988) 233
Iguchi, T., T. Iwamura, H. Akimoto, A. Onuki, Y. Abe, T. Hojo, I. Sakaki, A. Minato, H. Adachi and Y. Murao, SCTF-III test plan and recent SCTF-III test results 108 (1988) 241
Inada, Y., Load-displacement relation of reactor buildings subjected to earthquake forces 108 (1988) 497
Inagaki, Y., see Kunitomi 108 (1988) 359
Ioka, I., see Kunitomi 108 (1988) 359
Iwamura, T., see Iguchi 108 (1988) 241

Kassner, T.F., see Shack 108 (1988) 199
Ketter, A., E. Wacholder and E. Elias, Iodine removal by condensation from containment atmosphere in post external event conditions 108 (1988) 385
Kienzler, R., see Rödig 108 (1988) 467
Knoess, C., see Paik 108 (1988) 83
Koizumi, Y., see Tasaka 108 (1988) 37
Kot, C.A., see Malcher 108 (1988) 23
Kuan, P., see Tolman 108 (1988) 45
Kukita, Y., see Tasaka 108 (1988) 37
K. Kunitomi, Y. Inagaki, I. Ioka, K. Suzuki, Nekoya A. and Y. Miyamoto, Thermal and hydraulic tests in Hendel T_2 supporting the development of the core bottom structure of the High Temperature Engineering Test Reactor (HTTR) 108 (1988) 359

Labes, M., see Lauer 108 (1988) 477
Lambert, G.A., see Cho 108 (1988) 523
Lauer, J., M. Labes and H. Hülsen, Standardization of piping supports in nuclear power plants using pretested components 108 (1988) 477
Leonard, M.T., see Hanson 108 (1988) 71
Leslie, D.C., see Black 108 (1988) 121
Lin, W.K. and Y.Y. Hsu, A weir model to relate the liquid flow rate with the water level in an inverted U-bend 108 (1988) 395
Lippert, H.-J., see Gross 108 (1988) 433

MacDonald, P.E., see Steele, Jr. 108 (1988) 15
Maidorn, Ch., see Erve 108 (1988) 485
Maiya, P.S., see Shack 108 (1988) 199
Malcher, L. and C.A. Kot, HDR Phase II vibrational experiments 108 (1988) 23
Markgraf, J., see Fischer 108 (1988) 429
McClung, R.W., see Cook 108 (1988) 211
Messick, N.C., see Feldman 108 (1988) 331
Minato, A., see Iguchi 108 (1988) 241
Miyamoto, Y., see Kunitomi 108 (1988) 359
Mohr, D., see Feldman 108 (1988) 331
Mullen, G., see Paik 108 (1988) 83
Munshi, P., see Rathore 108 (1988) 375
Murao, Y., see Iguchi 108 (1988) 233
Murao, Y., see Iguchi 108 (1988) 241

Nakamura, H., see Tasaka 108 (1988) 37
Nekoya, S., see Kunitomi 108 (1988) 359
Nelson, W.R., see Hanson 108 (1988) 71
Nickel, H., see Rödig 108 (1988) 467

Okubo, T., see Iguchi 108 (1988) 233
Olek, S., On the two-region rewetting model with a step change in the heat transfer coefficient 108 (1988) 315
Olek, S., The effect of precursory cooling on rewetting of a slab 108 (1988) 323

Onuki, A., see Iguchi 108 (1988) 241
Osakabe, M., see Tasaka 108 (1988) 37

Paik, C.Y., G. Mullen, C. Knoess and P. Griffith, Steam separator modeling for various nuclear reactor transients 108 (1988) 83
Pandimani, S., see Rathore 108 (1988) 375
Papouschek, F., see Erve 108 (1988) 485
Park, J.Y., see Shack 108 (1988) 199
Pester, W., see Bittermann 108 (1988) 403
Planchon, H.P., see Feldman 108 (1988) 331

Rathore, R.K.S., P. Munshi, V.K. Bhatia and S. Pandimani, Filtered Bessel functions in computerized tomography 108 (1988) 375
Rau, P., see Bittermann 108 (1988) 403
Ro, T.S., and N.E. Todreas, Energy transfer mechanisms in LMR rod bundles under mixed convection conditions 108 (1988) 343
Rödig, M., R. Kienzler, H. Nickel and F. Schubert, Fatigue and creep crack growth in methane reformer tubes at temperatures above 700 °C 108 (1988) 467
Ruther, W.E., see Shack 108 (1988) 199
Ruyter, I., see Fischer 108 (1988) 429

Sakaki, I., see Iguchi 108 (1988) 241
Schneider, K. and F.J. Winkler, Physical model for reactor coolant pumps 108 (1988) 99
Schubert, F., see Rödig 108 (1988) 467
Schygulla, U., see Wolf 108 (1988) 137
Shack, W.J., T.F. Kassner, P.S. Maiya, J.Y. Park and W.E. Ruther, BWR pipe crack remedies evaluation 108 (1988) 199
Shire, P., see Boyack 108 (1988) 265
Sontheimer, F., see Fischer 108 (1988) 429
Steele, R., Jr., R.C. Hill and J.A. Close, Functionality and leak integrity of containment penetration systems subjected to design basis dynamic loads 108 (1988) 7
Steele, R., Jr., P.E. MacDonald and J.G. Arendts, Dynamic load effects on gate valve operability and snubber performance 108 (1988) 15
Stumpf, H., see Boyack 108 (1988) 265
Sugimoto, J., see Iguchi 108 (1988) 233
Suzuki, K., see Kunitomi 108 (1988) 359

Taleyarkhan, R.P. and D.R. Harris, Stochastic analysis of mechanical vibrations in reactors 108 (1988) 369
Tasaka, K., Y. Kukita, Y. Koizumi, M. Osakabe and H. Nakamura, The results of 5% small-break LOCA tests and natural circulation tests at the ROSA-IV LSTF 108 (1988) 37
Thie, J.A., Measurement of a large BWR's spatial stability 108 (1988) 525
Todreas, N.E., see Ro 108 (1988) 343
Tolman, E.L., P. Kuan and J.M. Broughton, TMI-2 accident scenario update 108 (1988) 45
Twickler, R., see Hubo 108 (1988) 457

Vesely, W.E. and A.J. Wolford, Risk evaluations of aging phenomena: the linear aging reliability model and its extensions 108 (1988) 179

Wacholder, E., see Ketter 108 (1988) 385
Wehle, F., see Bittermann 108 (1988) 403
Weiss, P.A. and R.J. Hertlein, UPTF test results: First three separate effect tests 108 (1988) 249
Winkler, F.J., see Schneider 108 (1988) 99
Wolf, L., W. Häfner, K. Fischer, U. Schygulla and W. Baumann, Application of engineering and multi-dimensional finite difference codes to HDR thermal mixing experiments TEMB 108 (1988) 137
Wolfert, K. and I. Brittain, CSNI validation matrix for PWR and BWR thermal-hydraulic system codes 108 (1988) 107
Wolford, A.J., see Vesely 108 (1988) 179
Wolz, G.C., see Feldman 108 (1988) 331
Wright, R.E., see Hanson 108 (1988) 71

Zahoor, A., J-integral estimation analysis for circumferential throughwall cracked pipes 108 (1988) 515

Nuclear Engineering and Design 108 (1988) 537–539
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 108

Thermal and fluid design

The results of 5% small-break LOCA tests and natural circulation tests at the ROSA-IV LSTF, K. Tasaka, Y. Kukita, Y. Koizumi, M. Osakabe and H. Nakamura 108 (1988) 37

CSNI validation matrix for PWR and BWR thermal-hydraulic system codes, K. Wolfert and I. Brittain 108 (1988) 107

Tests of the TRAE code against known analytical solutions for stratified flow, P.S. Black, D.C. Leslie and G.F. Hewitt 108 (1988) 121

Application of engineering and multi-dimensional finite difference codes to HDR thermal mixing experiments TEMB, L. Wolf, W. Häfner, K. Fischer, U. Schygulla and W. Baumann 108 (1988) 137

Fluence-rate effects on irradiation embrittlement and composition and temperature effects on annealing/reirradiation sensitivity, J.R. Hawthorne and A.L. Hiser 108 (1988) 221

Summary of CCTF test results – Assessment of current safety evaluation analysis on reflood behaviour during a LOCA in a PWR with cold-leg-injection type ECCS, T. Iguchi, Y. Murao, J. Sugimoto, H. Akimoto, T. Okubo and T. Hojo 108 (1988) 233

SCTF-III test plan and recent SCTF-III test results, T. Iguchi, T. Iwamura, H. Akimoto, A. Onuki, Y. Abe, T. Hojo, I. Sakaki, A. Minato, H. Adachi and Y. Murao 108 (1988) 241

UPTF test results: First three separate effect tests, P.A. Weiss and R.J. Hertlein 108 (1988) 249

Analysis results from the Los Alamos 2D/3D program, B.E. Boyack, M.W. Cappiello, H. Stumpf, P. Shire, J. Gilbert and J. Hedstrom 108 (1988) 265

On the two-region rewetting model with a step change in the heat transfer coefficient, S. Olek 108 (1988) 315

The effect of precursory cooling on rewetting of a slab, S. Olek 108 (1988) 323

Predicted and measured response of the EBR-II plant to large steam pressure changes, E.E. Feldman, D. Mohr, N.C. Messick, G.C. Wolz, L.K. Chang, P.R. Betten and H.P. Planchon 108 (1988) 331

Energy transfer mechanisms in LMR rod bundles under mixed convection conditions, T.S.Ro and N.E. Todreas 108 (1988) 343

Thermal and hydraulic tests in HENDEL T_2 supporting the development of the core bottom structure of the High Temperature Engineering Test Reactor (HTTR), K. Kunitomi, Y. Inagaki, I. Ioka, K. Suzuki, S. Nekoya and Y. Miyamoto 108 (1988) 359

Iodine removal by condensation from containment atmosphere in post external event conditions, A. Ketter, E. Wacholder and E. Elias 108 (1988) 385

A weir model to relate the liquid flow rate with the water level in an inverted U-bend, W.K. Lin and Y.Y. Hsu 108 (1988) 395

Heat conduction and transfer

Phenomenological studies on molten core–concrete interactions, G.A. Greene, C. Finfrock and S.B. Burson 108 (1988) 167

Fluid dynamics

Steam separator modeling for various nuclear reactor transients, C.Y. Paik, G. Mullen, C. Knoess and P. Griffith 108 (1988) 83

Analysis of flow distribution in a PWR fuel rod bundle model containing a blockage – Part 1. A 61% coplanar blockage, M.L. Ang, A. Aytekin and A.H. Fox 108 (1988) 275

Analysis of flow distribution in a PWR fuel rod bundle model containing a blockage – Part 2. A non-coplanar blockage, M.L. Ang, A. Aytekin and A.H. Fox 108 (1988) 295

Stochastic analysis of mechanical vibrations in reactors, R.P. Taleyarkhan and D.R. Harris 108 (1988) 369

Filtered Bessel functions in computerized tomography, R.K.S. Rathore, P. Munshi, V.K. Bhatia and S. Pandimani 108 (1988) 375

Materials properties

Risk evaluations of aging phenomena: the linear aging reliability model and its extensions, W.E. Vesely and A.J. Wolford 108 (1988) 179

BWR pipe crack remedies evaluation, W.J. Shack, T.F. Kassner, P.S. Maiya, J.Y. Park and W.E. Ruther 108 (1988) 199
Crack resistance properties of through-cracks in austenitic straight pipes (DN 700) under bending, L. Grüter, M. Fortmann, S. Bhandari and C. Faidy 108 (1988) 447
Failure behaviour of steels with different levels of strength and toughness, R. Hubo, R. Twickler, W. Hesse and W. Dahl 108 (1988) 457

Mechanical design, component fabrication and testing

Dynamic load effects on gate valve operability and snubber performance, R. Steele, Jr., P.E. MacDonald and J.G. Arendts 108 (1988) 15
HDR Phase II vibrational experiments, L. Malcher and C.A. Kot 108 (1988) 23
Physical model for reactor coolant pumps, K. Schneider and F.J. Winkler 108 (1988) 99
Flaw density examinations of a clad boiling water reactor pressure vessel segment, K.V. Cook and R.W. McClung 108 (1988) 211
Fluence-rate effects on irradiation embrittlement and composition and temperature effects on annealing/reirradiation sensitivity, J.R. Hawthorne and A.L. Hiser 108 (1988) 221
Stochastic analysis of mechanical vibrations in reactors, R.P. Taleyarkhan and D.R. Harris 108 (1988) 369
Design aspects and pertaining development work for the KWU 200 MW_{th} nuclear heating reactor, D. Bittermann, P. Rau, A. Asham, P. Batheja, W. Pester and F. Wehle 108 (1988) 403
Crack resistance properties of through-cracks in austenitic straight pipes (DN 700) under bending, L. Grüter, M. Fortmann, S. Bhandari and C. Faidy 108 (1988) 447
Fatigue and creep crack growth in methane reformer tubes at temperatures above 700 °C, M. Rödig, R. Kienzler, H. Nickel and F. Schubert 108 (1988) 467
Standardization of piping supports in nuclear power plants using pretested components, J. Lauer, M. Labes and H. Hülsen 108 (1988) 477
State of the art in the manufacture of heavy forgings for reactor components in the Federal Republic of Germany, M. Erve, F. Papouschek, K. Fischer and Ch. Maidorn 108 (1988) 485
J-integral estimation analysis for circumferential throughwall cracked pipes, A. Zahoor 108 (1988) 515

Reactor concepts and systems analysis

Summary of CCTF test results – Assessment of current safety evaluation analysis on reflood behaviour during a LOCA in a PWR with cold-leg-injection-type ECCS, T. Iguchi, Y. Murao, J. Sigumoto, H. Akimoto, T. Okubo and T. Hojo 108 (1988) 233
SCTF-III test plan and recent SCTF-III test results, T. Iguchi, T. Iwamura, H. Akimoto, A. Onuki, Y. Abe, T. Hojo, I. Sakaki, A. Minato, H. Adachi and Y. Murao 108 (1988) 241
UPTF test results: First three separate effect tests, P.A. Weiss and R.J. Hertlein 108 (1988) 249
Design aspects and pertaining development work for the KWU 200 MW_{th} nuclear heating reactor, D. Bittermann, P. Rau, A. Asham, P. Batheja, W. Pester and F. Wehle 108 (1988) 403

Safeguard engineering

Functionality and leak integrity of containment penetration systems subjected to design basis dynamic loads, R. Steele, Jr., R.C. Hill and J.A. Close 108 (1988) 7
Containment venting as a mitigation technique for BWR Mark I plant ATWS, R.M. Harrington 108 (1988) 55
Analysis of containment venting at the Peach Bottom Atomic Power Station, D.J. Hanson, H.S. Blackman, W.R. Nelson, R.E. Wright, M.T. Leonard and R. DiSalvo 108 (1988) 71
Overview of recent operating experience regarding plant aging, G.M. Holahan and M.A. Caruso 108 (1988) 187

Structural design, construction methods and testing

Dynamic analysis and response spectra for the main process building of a reprocessing plant, H-J. Hilpert and F.-O. Henkel 108 (1988) 437
Load-displacement relation of reactor building subjected to earthquake forces, Y. Inada 108 (1988) 497

Nuclear waste management and disposal

Dynamic analysis and response spectra for the main process building of a reprocessing plant, H-J. Hilpert and F.-O. Henkel 108 (1988) 437

Core physics and fuel design

Solutions of the neutronic design problems of small heating reactor cores based on the BWR principle, K. Foskolos, A. Galperin and P. Grimm 108 (1988) 419
Experiments on the load following behaviour of PWR fuel rods, G. Fischer, F. Sontheimer, I. Ruyter and J. Markgraf 108 (1988) 429
The BWR Hybrid 4 control rod, H. Gross, H.-P. Fuchs, H.-J. Lippert and W. Dambietz 108 (1988) 433

Nuclear safety

The need for further nuclear safety research: a present French view, J. Bussac 108 (1988) 1
TMI-2 accident scenario update, E.L. Tolman, P. Kuan and J.M. Broughton 108 (1988) 45
Phenomenological studies on molten core–concrete interactions, G.A. Greene, C. Finfrock and S.B. Burson 108 (1988) 167
On the two-region rewetting model with a step change in the heat transfer coefficient, S. Olek 108 (1988) 315
The effect of precursory cooling en rewetting of a slab, S. Olek 108 (1988) 323
Predicted and measured response of the EBR-II plant to large steam pressure changes, E.E. Feldman, D. Mohr, N.C. Messick, G.C. Wolz, L.K. Chang, P.R. Betten and H.P. Planchon 108 (1988) 331
Iodine removal by condensation from containment atmosphere in post external event conditions, A. Ketter, E. Wacholder and E. Elias 108 (1988) 385
A weir model to relate the liquid flow rate with the water level in an inverted U-bend, W.K. Lin and Y.Y. Hsu 108 (1988) 395
Effect of boiling on particle drag, D.H. Cho and G.A. Lambert 108 (1988) 523
Measurement of a large BWR's spatial stability, J.A. Thie 108 (1988) 525